

# Lista Nexus System



*By equipping its workbenches with the Nexus Accessory System, Landmark Aviation took its productivity to stratospheric levels. The ability to have such accessories as pegboard panels, markerboards, overhead cabinets and electrical outlets within easy reach has improved both ergonomic comfort and efficiency.*

## ***List*** **Nexus System**

Nexus System Features 74

Nexus System Frames 76

Nexus System Accessories 77

Nexus System Shelves 77

Nexus System Lighting Accessories 78

Nexus System Tool Rails, Power Options 79

Nexus System Plastic Box Rails, Back Stops 80

Nexus System Overhead Cabinets 81

Nexus System Pivoting Accessories 82

Nexus System Back Panels, Markerboard/Tackboards 83

Nexus System Easy-Order Combinations 84

**Nexus System Packing Benches 86**

Nexus System Packing Bench Features 87

Nexus System Packing Bench Legs and Accessories 88

Nexus System Packing Bench Easy-Order Combinations 90

**Nexus System Stands and Trolleys 92**


Nexus System Stand and Trolley Accessories 93

Nexus System Stand and Trolley Easy-Order Combinations 94

**Nexus System Flow Racks 96**

Nexus System Flow Rack Accessories 97

Nexus System Flow Rack Easy-Order Combinations 97



Lista's Nexus System is a highly functional and flexible system of above-worksurface accessories and modular components. It has been designed to cost-effectively meet the needs of a broad variety of jobs.

The system has been ergonomically designed, delivering easy accessibility with no stretch or strain, reducing the risk of injury and increasing productivity.

Like all Lista systems, the Nexus System is modular and allows for easy reconfiguration. It can easily be adapted or expanded to meet changing needs. It can also be retrofitted to any existing workbench, whether it's from Lista or another manufacturer. Many Nexus components can be easily adjusted for specific tasks within a workshift. System width is limited only by your worksurface length.

All components are available in ESD paint for static-sensitive applications.

Nexus System accessories can also be used with our other Nexus System products:

- Packing benches (page 86)
- Stationary stands (page 92)
- Mobile trolleys (page 92)
- Flow racks (page 96)

Nexus System benefits include:

### Greater productivity and efficiency

Extensive selection of heights and widths, allowing you to configure your workspace to fit your needs.

### Reduced strain, increased ergonomic ease

- Accessories can be chosen and positioned to best suit each user for ultimate ergonomic adaptability.
- Many accessories can tilt and pivot in a number of positions, easily adjusting to the most comfortable and useful position.

Nexus System accessories are not compatible with Arlink® 8000 or VSI uprights. For accessories for those systems, see pages 22-28.

### Workstations equipped to exactly suit your needs

The wide choice of accessories means that whatever the task, an appropriate accessory is available.

### Properly illuminated work area

Light fixtures can be easily positioned at the desired height, depth and angle.

### Maximum available worksurface

Articulating arms mount to Nexus uprights, leaving full surface available for task.

*Overhead light fixture* \_\_\_\_\_

*Tool rail* \_\_\_\_\_

*Reversible markerboard/  
tackboard* \_\_\_\_\_

*Louvered panel* \_\_\_\_\_

*Adjustable shelf* \_\_\_\_\_

*Monitor shelf* \_\_\_\_\_

*Horizontal power rail* \_\_\_\_\_

*Back stop* \_\_\_\_\_

*Accessory shelf* \_\_\_\_\_


TO ORDER AN EASY-ORDER COMBINATION (PRECONFIGURED NEXUS SYSTEM ACCESSORIES), SEE PAGES 84-85.



Lista's advanced Nexus System enables the user to customize the workspace for the greatest productivity and ergonomic comfort. Accessories can be easily added and moved to provide complete flexibility and ease of use.



Building your ideal Nexus accessory system is an easy process. Simply select the frames (starters and adders) that fit your worksurface width, then pick accessories of corresponding widths to mount on the frames. Accessories are easily moved and repositioned as your needs change.



## Nexus Surface-Mount Frames

Frames are sturdy, heavy gauge steel, and are notched front and back at 1" increments for mounting accessories. Starter frames consist of 2 upright posts and a horizontal rail. Adder sets consist of an additional upright and horizontal rail. Uprights are available in heights of 30" and 48", and 6 widths. Foot plate is 2 3/4" x 4". Specify color from chart on back cover.

### 30" High Surface-Mount Frames

PART NO.	SEC. WIDTH CENT.-TO-CENT.
<b>Starter set</b>	
NXF/SM2430	24"
NXF/SM3030	30"
NXF/SM3630	36"
NXF/SM4230	42"
NXF/SM4830	48"
NXF/SM6030	60"
<b>Adder set</b>	
NXF/SM2430A	24"
NXF/SM3030A	30"
NXF/SM3630A	36"
NXF/SM4230A	42"
NXF/SM4830A	48"
NXF/SM6030A	60"

### 48" High Surface-Mount Frames

PART NO.	SEC. WIDTH CENT.-TO-CENT.
<b>Starter set</b>	
NXF/SM2448	24"
NXF/SM3048	30"
NXF/SM3648	36"
NXF/SM4248	42"
NXF/SM4848	48"
NXF/SM6048	60"
<b>Adder set</b>	
NXF/SM2448A	24"
NXF/SM3048A	30"
NXF/SM3648A	36"
NXF/SM4248A	42"
NXF/SM4848A	48"
NXF/SM6048A	60"

## Available Widths of Nexus Systems

The widths below represent measurements from frame center to frame center. Uprights are 1 3/16" wide.

### Using 1 Section

SECTION WIDTH (CENTER-TO-CENTER)	OVERALL WIDTH (FOOT-TO-FOOT)	MINIMUM WORK-SURFACE LENGTH	INSIDE USEABLE WIDTH
24"	26 3/4"	30"	22 3/4"
30"	32 3/4"	36"	28 3/4"
36"	38 3/4"	42"	34 3/4"
42"	44 3/4"	48"	40 3/4"
48"	50 3/4"	54"	46 3/4"
60"	62 3/4"	66"	58 3/4"

### Using 1 Starter and 1 Adder Section

SECTION WIDTH (CENTER-TO-CENTER)	OVERALL WIDTH (FOOT-TO-FOOT)	MINIMUM WORKSURFACE LENGTH
24" + 24"	50 3/4"	54"
24" + 30"	56 3/4"	60"
24" + 36"	62 3/4"	66"
24" + 42"	68 3/4"	72"
24" + 48"	74 3/4"	78"
24" + 60"	86 3/4"	90"
30" + 30"	62 3/4"	66"
30" + 36"	68 3/4"	72"
30" + 42"	74 3/4"	78"
30" + 48"	80 3/4"	84"
30" + 60"	92 3/4"	96"
36" + 36"	74 3/4"	78"
36" + 42"	80 3/4"	84"
36" + 48"	86 3/4"	90"
36" + 60"	98 3/4"	102"
42" + 42"	86 3/4"	90"
42" + 48"	92 3/4"	96"
42" + 60"	104 3/4"	108"
48" + 48"	98 3/4"	102"
48" + 60"	110 3/4"	114"
60" + 60"	122 3/4"	126"

For rear-mount Nexus systems for Align® Adjustable Height Workstations, see page 37.

# Nexus System Shelves



## Adjustable Shelves

Adjustable, heavy gauge steel shelves can be mounted parallel to the work-surface or at a 15° angle for easy, ergonomic access. They have a 100 lb. weight capacity for evenly distributed loads. Shelves are reversible, with the lip either at the front, or at the rear to act as a back stop. Supports are attached through a simple double-notch system into slots on the uprights.

PART NO.	SHELF WIDTH	SEC. WIDTH
<b>12" deep</b>		
NXS/A2412L	23 1/2"	24"
NXS/A3012L	29 1/2"	30"
NXS/A3612L	35 1/2"	36"
NXS/A4212L	41 1/2"	42"
NXS/A4812L	47 1/2"	48"
NXS/A6012L	59 1/2"	60"
<b>15" deep</b>		
NXS/A2415L	23 1/2"	24"
NXS/A3015L	29 1/2"	30"
NXS/A3615L	35 1/2"	36"
NXS/A4215L	41 1/2"	42"
NXS/A4815L	47 1/2"	48"
NXS/A6015L	59 1/2"	60"



## Shelf Dividers

Steel dividers fit over the edge of adjustable shelf when shelf is mounted at 0°. Base of divider can be either to left or right of divider upright. Painted to match shelf.

PART NO.	HEIGHT
<b>For 12" deep adjustable shelves</b>	
NXS/MD100-12/L	4"
NXS/MD100-12/R	4"
NXS/MD150-12/L	6"
NXS/MD150-12/R	6"
NXS/MD200-12/L	8"
NXS/MD200-12/R	8"
<b>For 15" deep adjustable shelves</b>	
NXS/MD100-15/L	4"
NXS/MD100-15/R	4"
NXS/MD150-15/L	6"
NXS/MD150-15/R	6"
NXS/MD200-15/L	8"
NXS/MD200-15/R	8"



## Variable Angle Shelves

Shelf adjusts from totally flat to a 25° angle and has a capacity of 150 lbs. for evenly distributed loads. Can be mounted in a forward or set-back position between uprights for maximum flexibility.

PART NO.	SHELF WIDTH	SEC. WIDTH
<b>18" deep</b>		
NXS/V2418L	22 1/2"	24"
NXS/V3018L	28 1/2"	30"
NXS/V3618L	34 1/2"	36"
NXS/V4218L	40 1/2"	42"
NXS/V4818L	46 1/2"	48"
NXS/V6018L	58 1/2"	60"
<b>24" deep</b>		
NXS/V2424L	22 1/2"	24"
NXS/V3024L	28 1/2"	30"
NXS/V3624L	34 1/2"	36"
NXS/V4224L	40 1/2"	42"
NXS/V4824L	46 1/2"	48"

Shelves must match the width of your chosen section frame (see page 76).

Specify color from chart on back cover.





## Overhead Light Fixtures

- Fluorescent fixture is available in 2-bulb or 4-bulb model in 44" or 56" length.
- Tilts up or down 10°.
- Brackets allow light fixture to be mounted to frame sections 30" to 90" wide.
- Kit includes switch and 8' grounded electrical cord, support track, standard acrylic diffuser and T8 bulbs.
- **Requires NX/OHL-TR/BRK support brackets (see right).**
- Fixture available in Light Gray only, but brackets can be ordered in any Lista color (see back cover for color chart).
- Bracket with fixture can also simultaneously support tool rail (see page 79).

## Overhead Light Fixture Kits

PART NO.	FIXTURE WIDTH	SECTION WIDTH
<b>2-bulb</b>		
NX/OHL-R48/2	44"	30"-48"
NX/OHL-R60/2	56"	49"-60"
NX/OHL-R72/2	56"	61"-72"
NX/OHL-R78/2	56"	73"-78"
NX/OHL-R84/2	56"	79"-84"
NX/OHL-R90/2	56"	85"-90"
<b>4-bulb</b>		
NX/OHL-R48/4	44"	30"-48"
NX/OHL-R60/4	56"	49"-60"
NX/OHL-R72/4	56"	61"-72"
NX/OHL-R78/4	56"	73"-78"
NX/OHL-R84/4	56"	79"-84"
NX/OHL-R90/4	56"	85"-90"

## Overhead Light Fixtures Only

PART NO.	BULBS	WIDTH
NX/OHL44/2	2	44"
NX/OHL44/4	4	44"
NX/OHL56/2	2	56"
NX/OHL56/4	4	56"

## Overhead Light and Tool Rail Support Brackets

Required for mounting overhead light fixture. Brackets come in pairs. Specify color (see back cover for color chart).

- 24" deep brackets can be used with a 24" deep worksurface (either surface- or rear-mount\* Nexus frames), or a 30" deep worksurface with surface-mount frames.
- 30" deep brackets can be used with a 30" deep worksurface with rear-mount frames, or a 36" deep worksurface (either surface- or rear-mount frames).

*\*rear-mount frames only available with Align® adjustable height bases*

PART NO.	BRACKET DEPTH
NX/OHL-TR/BRK24	24"
NX/OHL-TR/BRK30	30"



## Parabolic Diffusers for Light Fixture

Optional chrome-plated plastic parabolic grid directs light onto worksurface while eliminating glare on adjacent workstations.

PART NO.	USE WITH
NX/OHL-PD44	44" light fixture
NX/OHL-PD56	56" light fixture



## Undershelf Task Lights

Attach by magnet under shelves or overhead cabinets. Includes white acrylic wrap-around diffuser, switch, 6' cord and bulb.

PART NO.	SIZE	BULB
FLF-18	18" W x 5" D x 1 3/4" H	F15T8
FLF-36/UCF	36" W x 5" D x 1 3/4" H	F25T8
FLF-48/UCF	48" W x 5" D x 1 3/4" H	F32T8





# Nexus System Tool Rails and Power Options



## Tool Rails

The tool rail spans the length of the worksurface. It is available in 48", 60" or 72" lengths. Each tool rail has a 30 lb. capacity, and comes complete with a trolley, 2 hangers, 2 endstops and 2 end caps in black finish. Balancer not included. **Requires support brackets (see right).** Fixture and bracket can also simultaneously support overhead light (see page 78). Color is black.

PART NO.	LENGTH
TR48	48"
TR60	60"
TR72	72"



## Swing Arm Tool Rail

The swing arm tool rail is 36" in length and swings 180°. It has a 30 lb. capacity and includes a trolley, 1 endstop and 1 end cap. Includes mounting bracket. Balancer not included. Color is black.

PART NO.	LENGTH
SWT36	36"

## Tool Rail and Overhead Light Support Brackets

Required for mounting tool rail. Comes in pairs.

PART NO.	DEPTH
NX/OHL-TR/BRK24	24"
NX/OHL-TR/BRK30	30"

## Single Uprights

Economical solution to mounting power or articulating component above the worksurface. Capacity 60 lbs.

PART NO.	HEIGHT
NXF-P30/SM	30"
NXF-P48/SM	48"



## Airhose Attachment

Small bracket attaches to frame upright. Quick-connect fitting not supplied.

PART NO.	DESCRIPTION
NX/AHB	bracket for air supply



## Vertical Power Strips

Mounts vertically to front and back of upright. Bracket and hardware supplied. Lighted on/off switch, 6' cord with grounded plug and circuit breaker are included. Fixture and brackets are black.



For items with choice of color, specify color from chart on back cover.

PART NO.	DESCRIPTION
NXVPS/15	15 amp with 6 outlets
NXVPS/20	20 amp with 6 outlets
NXVPS/15GF	15 amp GFCI with 6 outlets
NXVPS/20GF	20 amp GFCI with 6 outlets



## Horizontal Power Rails

Self-contained, 6-plug electrical outlet strip. Power rail pivots on axis, providing full horizontal adjustability. 110V, 15 amp or 20 amp circuit breaker.

PART NO.	
15 amp	20 amp
NXHPS/24-15	NXHPS/24-20
NXHPS/30-15	NXHPS/30-20
NXHPS/36-15	NXHPS/36-20
NXHPS/42-15	NXHPS/42-20
NXHPS/48-15	NXHPS/48-20
NXHPS/60-15	NXHPS/60-20
15 amp GFCI	20 amp GFCI
NXHPS/24-15GF	NXHPS/24-20GF
NXHPS/30-15GF	NXHPS/30-20GF
NXHPS/36-15GF	NXHPS/36-20GF
NXHPS/42-15GF	NXHPS/42-20GF
NXHPS/48-15GF	NXHPS/48-20GF
NXHPS/60-15GF	NXHPS/60-20GF





# Nexus System Plastic Box Rails and Back Stops

Plastic box rails and back stops must match the width of your chosen section frame (see page 76).

Specify color from chart on back cover.



## Plastic Box Rails

The plastic box rail is easily adjustable for ergonomic access. It can be mounted parallel to the work surface or at a 15° angle. The rail is attached via a simple double-notch system. It can hold selected Lista or other boxes that have hanger lips at the rear for attaching to a louvered panel. Plastic boxes not included.

PART NO.	WIDTH	MAXIMUM # OF 3" BOXES/RAIL
NXBR/24	24"	7
NXBR/30	30"	9
NXBR/36	36"	11
NXBR/42	42"	13
NXBR/48	48"	15
NXBR/60	60"	19



## Plastic Boxes

Made of high impact polystyrene (HIPS) red plastic, these boxes are for storing small parts. Boxes slip in and out of plastic box rails for easy loading and dispensing and have label holder attachments.

PART NO.	W X D X H
PB-5	3" x 3" x 2"
PB-6	3" x 6" x 2"
PB-7	6" x 6" x 2"
PB-8	3" x 6" x 3"
PB-9	6" x 6" x 3"
PB-8D	divider for PB-8



## Back Stops

Prevents items from rolling off work surface. 3" in height. Painted to match frame.

PART NO.	USE WITH SECTION WIDTH
NXBS/24	24"
NXBS/30	30"
NXBS/36	36"
NXBS/42	42"
NXBS/48	48"
NXBS/60	60"



For descriptions of overhead cabinets, see our General Storage Catalog. Overhead cabinet width must match Nexus frame section width. Mounting brackets must be ordered separately.

## How to order a Nexus overhead cabinet

1. Select overhead cabinet based on your choice of dimensions.

2. ■ Select door type.

**ND** = no door

**Door for 16" high overhead cabinets**

**RD** = retractable door

**Doors for 29" high overhead cabinets**

**HD** = hinged doors

**HDP\*** = hinged doors with steel-framed plexiglas

**SD** = sliding doors

**SDP\*\*** = sliding doors with steel-framed plexiglas

*\*plexiglas doors available for cabinets 30" and wider only*

*\*\*plexiglas doors available for cabinets 42" and wider only*

3. ■ Select lock type.

**RG** = individual

**KA** = keyed-alike

**MA** = master

4. □ Select paint color (see back cover for color chart).

5. Order mounting brackets.

**EXAMPLE:** to order an OHC2416 overhead cabinet with a retractable door, an individual lock, and Bright Blue paint, the cabinet part number would be **OHC2416-RDRGBB**, and the mounting brackets would be **NX/OHC-BRK16**.

## Overhead Cabinets



### 16" high x 15" deep

Available either with retractable door or no door.

PART NO.	WIDTH
OHC2416-■□□	24"
OHC3016-■□□	30"
OHC3616-■□□	36"
OHC4216-■□□	42"
OHC4816-■□□	48"
OHC6016-■□□	60"



### 29" high x 15" deep

Available either with hinged doors (with or without plexiglas window), sliding doors (with or without plexiglas window) or no door.

PART NO.	WIDTH
OHC2429-■□□	24"
OHC3029-■□□	30"
OHC3629-■□□	36"
OHC4229-■□□	42"
OHC4829-■□□	48"

## Overhead Cabinet Nexus Mounting Brackets

Brackets must be ordered for each overhead cabinet used. Comes in pairs.

PART NO.	FOR USE WITH
NX/OHC-BRK16	16" high cabinet
NX/OHC-BRK29	29" high cabinet

## Overhead Cabinet Additional Shelves (for 29" High Cabinets)

13 1/2" deep

PART NO.	FOR USE WITH
OHC-S24	24" wide cabinet
OHC-S30	30" wide cabinet
OHC-S36	36" wide cabinet
OHC-S42	42" wide cabinet
OHC-S48	48" wide cabinet

Lista overhead cabinets can attach to a Nexus frame for protected, secure above-work-surface storage of large, bulky items.



Articulating arms allow free and simple repositioning of a wide range of Nexus System accessories. Arm swings 180° for easy ergonomic access, and has a 75 lb. capacity. All accessories include arm and mounting bracket.

Specify color from chart on back cover.



### Monitor Shelf with Keyboard Holder

Holds computer monitor. Includes retractable wire keyboard holder. 75 lb. capacity. 12 3/8" wide x 12 3/8" deep.

**PART NO.**  
NXA/MS-KB



### Optional Mouse Tray

Mouse tray attaches to monitor shelf with keyboard holder (above) to hold computer mouse and/or mouse pad. 75 lb. capacity. 9 1/2" wide x 7 5/8" deep. Ordered separately.

**PART NO.**  
NX/MP



### Equipment Shelf

Holds a variety of customer-supplied equipment or tools. 75 lb. capacity. 12 3/8" wide x 12 3/8" deep.

**PART NO.**  
NXA/ES



### Accessory Shelf

For easy access to small tools, instruments, parts, etc. Ribbed mat optional. 21 1/4" wide x 7 3/8" deep. 75 lb. capacity.

PART NO.	DESCRIPTION
NXA/AS	shelf
NX/AS-MAT	ribbed rubber mat



### Flat Panel Monitor Arm

For attaching flat panel monitor to Nexus upright. Accepts both 75mm and 100mm square monitor hole patterns. 17 1/2 lb. capacity. Includes bracket.

**PART NO.**  
NXA/FPMA

### Flat Panel Monitor Bracket

Galvanized steel flat bracket for mounting third party flat panel monitor arms to Nexus upright.

**PART NO.**  
NX/BKT-FPM



### Document Holder

For displaying papers, plans, etc. 11 7/8" wide x 13 3/4" high. Includes lip for pencils, pens, etc.


**PART NO.**  
NXA/DH



### Large Document Holder

For displaying large documents, and open binders and books. 23 5/8" wide x 13 3/4" high. Includes lip for pencils, pens, etc.

**PART NO.**  
NXA/DHW




### Bin Container

Holds 3 rows of plastic bins for easy access to parts and components. Interior space per shelf is 20" wide x 6" deep. Top shelf is 3 1/4" high, second and third shelves are 3 3/4" high. Requires accessory shelf (left) for support (not included), or can be used free-standing. 50 lb. capacity. Does not include bin boxes.

**PART NO.**  
NX/AS-BC



# Nexus System Back Panels and Markerboard/Tackboards



## Louvered Back Panels

Steel louvered panel is designed to accommodate industry-standard plastic boxes that feature louvered edge or lip.


PART NO.	USE WITH SECTION WIDTH
<b>18" high</b>	
NXLP/2418	24"
NXLP/3018	30"
NXLP/3618	36"
NXLP/4218	42"
NXLP/4818	48"
NXLP/6018	60"
<b>30" high</b>	
NXLP/2430	24"
NXLP/3030	30"
NXLP/3630	36"
NXLP/4230	42"
NXLP/4830	48"
NXLP/6030	60"



## Pegboard Panels

Steel pegboard panel accepts all standard pegging devices (i.e. hooks, etc.). Pegboard holes are 1/4" in diameter. Ideal for placement of commonly used tools.


PART NO.	USE WITH SECTION WIDTH
<b>18" high</b>	
NXPP/2418	24"
NXPP/3018	30"
NXPP/3618	36"
NXPP/4218	42"
NXPP/4818	48"
NXPP/6018	60"
<b>30" high</b>	
NXPP/2430	24"
NXPP/3030	30"
NXPP/3630	36"
NXPP/4230	42"
NXPP/4830	48"
NXPP/6030	60"



Sturdy panels easily attach between frame uprights. All panels are available in heights of 18" and 30".

Reversible markerboard/tackboard attaches using same brackets (available in 30" height only).

Specify color from chart on back cover.



## Reversible Markerboard/Tackboards

Two-sided reversible board. Features white magnetic markerboard on 1 side and gray fabric tackboard on the other. Also functions as privacy panel and sound dampener. 30" high.

PART NO.	USE WITH SECTION WIDTH
NXRMT/2430	24"
NXRMT/3030	30"
NXRMT/3630	36"
NXRMT/4230	42"
NXRMT/4830	48"



## Solid Privacy Panels

Steel privacy panel encloses a section and can also be used to hold/display items with magnets.

PART NO.	USE WITH SECTION WIDTH
<b>18" high</b>	
NXSP/2418	24"
NXSP/3018	30"
NXSP/3618	36"
NXSP/4218	42"
NXSP/4818	48"
NXSP/6018	60"
<b>30" high</b>	
NXSP/2430	24"
NXSP/3030	30"
NXSP/3630	36"
NXSP/4230	42"
NXSP/4830	48"
NXSP/6030	60"





Each combination includes 1 Nexus starter frame and 1 adder frame at the height shown. Combinations designated with "SM" surface mount to a Lista or other workbench with a work-surface at least 6" longer than the Nexus frames. Combinations designated with "RM" rear mount to a Lista Align® adjustable height base only. Certain combinations are available with optional overhead lights (see charts below illustrations for availability).

## How to order an Easy-Order Nexus Accessory Combination

### 1. Select Easy-Order Nexus Accessory configuration.

### 2. ■ Select worksurface length.

**60** = 60" long (combination consists of 24" wide starter frame and 30" wide adder frame)

**72** = 72" long (combination consists of 30" wide starter frame and 36" wide adder frame)


### 3. □ Select paint color. For color chart, see back cover or below.

### 4. ■ Select lock type for models with overhead cabinets included.

**RG** = individual  
**KA** = keyed-alike  
**MA** = master

**EXAMPLE:** to order an NXC/SM4827 Nexus combination to install on a 72" long worksurface, with Bright Blue paint and keyed-alike locks for the overhead cabinets, the part number would be **NXC/SM4827-72BBKA**.


## 30" High Nexus Frames



Includes:

- (2) 12" deep shelves
- (1) back stop
- (1) 30" high louvered panel


PART NO.	DESCRIPTION
NXC/SM3001-■□	surface-mount



Includes:

- (2) 12" deep shelves
- (1) plastic box rail
- (1) 30" high markerboard/tackboard
- (1) vertical power strip


PART NO.	DESCRIPTION
NXC/SM3002-■□	surface-mount



Includes:

- (2) 12" deep shelves
- (1) back stop
- (1) 18" high solid privacy panel
- (1) 16" high overhead cabinet with retractable door


PART NO.	DESCRIPTION
NXC/SM3023-■□■	surface-mount



Includes:

- (2) 12" deep shelves
- (2) 15" deep shelves
- (2) back stops


PART NO.	DESCRIPTION
NXC/SM3005-■□	surface-mount



Includes:

- (2) 18" deep variable angle shelves
- (1) 12" deep shelf
- (1) 18" high louvered panel

PART NO.	DESCRIPTION
NXC/SM3006-■□	surface-mount




Includes:

- (1) 12" deep shelf
- (1) 18" high louvered panel
- (1) 16" high overhead cabinet with retractable door
- (1) horizontal power rail
- (1) back stop

PART NO.	DESCRIPTION
NXC/SM3024-■□■	surface-mount


## 48" High Nexus Frames



Includes:

- (2) 12" deep shelves
- (1) 15" deep shelf
- (1) back stop
- (1) 18" high pegboard panel
- (1) 30" high louvered panel


PART NO.	DESCRIPTION
NXC/SM4801- <input type="checkbox"/> <input type="checkbox"/>	surface-mount
NXC/SM4811- <input type="checkbox"/> <input type="checkbox"/>	surface-mount with 56" 4-bulb overhead light
NXC/RM4801- <input type="checkbox"/> <input type="checkbox"/>	rear-mount for Align base
NXC/RM4811- <input type="checkbox"/> <input type="checkbox"/>	rear-mount for Align base with 56" 4-bulb overhead light



Includes:

- (2) 12" deep shelves
- (1) 15" deep shelf
- (1) back stop
- (1) 30" high markerboard/tackboard
- (1) 18" high louvered panel
- (1) vertical power strip


PART NO.	DESCRIPTION
NXC/SM4802- <input type="checkbox"/> <input type="checkbox"/>	surface-mount
NXC/SM4812- <input type="checkbox"/> <input type="checkbox"/>	surface-mount with 56" 4-bulb overhead light
NXC/RM4802- <input type="checkbox"/> <input type="checkbox"/>	rear-mount for Align base
NXC/RM4812- <input type="checkbox"/> <input type="checkbox"/>	rear-mount for Align base with 56" 4-bulb overhead light



Includes:

- (2) 12" deep shelves
- (1) 18" high louvered panel
- (1) 16" high overhead cabinet with retractable door
- (1) 30" high markerboard/tackboard


PART NO.	DESCRIPTION
NXC/SM4823- <input type="checkbox"/> <input type="checkbox"/>	surface-mount
NXC/RM4823- <input type="checkbox"/> <input type="checkbox"/>	rear-mount for Align base



Includes:

- (2) 16" high overhead cabinets with retractable doors
- (1) 12" deep shelf
- (1) back stop
- (1) 30" high markerboard/tackboard


PART NO.	DESCRIPTION
NXC/SM4827- <input type="checkbox"/> <input type="checkbox"/>	surface-mount
NXC/RM4827- <input type="checkbox"/> <input type="checkbox"/>	rear-mount for Align base



Includes:

- (4) 12" deep shelves
- (2) 15" deep shelves
- (2) back stops


PART NO.	DESCRIPTION
NXC/SM4804- <input type="checkbox"/> <input type="checkbox"/>	surface-mount
NXC/SM4814- <input type="checkbox"/> <input type="checkbox"/>	surface-mount with 56" 4-bulb overhead light
NXC/RM4804- <input type="checkbox"/> <input type="checkbox"/>	rear-mount for Align base
NXC/RM4814- <input type="checkbox"/> <input type="checkbox"/>	rear-mount for Align base with 56" 4-bulb overhead light



Includes:

- (2) 12" deep shelves
- (1) 15" deep shelf
- (1) back stop
- (1) 16" high overhead cabinet with retractable door
- (1) 30" high louvered panel


PART NO.	DESCRIPTION
NXC/SM4825- <input type="checkbox"/> <input type="checkbox"/>	surface-mount
NXC/RM4825- <input type="checkbox"/> <input type="checkbox"/>	rear-mount for Align base



Includes:

- (2) 12" deep shelves
- (2) 30" high louvered panels

PART NO.	DESCRIPTION
NXC/SM4806- <input type="checkbox"/> <input type="checkbox"/>	surface-mount
NXC/SM4816- <input type="checkbox"/> <input type="checkbox"/>	surface-mount with 56" 4-bulb overhead light
NXC/RM4806- <input type="checkbox"/> <input type="checkbox"/>	rear-mount for Align base
NXC/RM4816- <input type="checkbox"/> <input type="checkbox"/>	rear-mount for Align base with 56" 4-bulb overhead light



Includes:

- (2) 16" high overhead cabinets with retractable doors
- (1) 30" high markerboard/tackboard
- (1) 30" high louvered panel

PART NO.	DESCRIPTION
NXC/SM4828- <input type="checkbox"/> <input type="checkbox"/>	surface-mount
NXC/RM4828- <input type="checkbox"/> <input type="checkbox"/>	rear-mount for Align base

# Nexus System Packing Bench Accessories

If you need to pack and ship products, and you want to get the job done quickly and efficiently, Lista delivers the complete package you've been looking for. Our advanced, modular benches are specifically designed for packing and shipping applications. Fully customizable, they will accommodate your needs today and in the future.

Lista's packing and shipping benches bundle together an array of superior features and benefits. Extremely flexible, the benches come in a variety of lengths (48" to 96") and depths and are available with a wide selection of worksurfaces, including butcher block, Lista Top, and galvanized or stainless steel over wood.

The addition of the Nexus System and its wide array of accessories means that your packing benches can be customized to exactly suit your needs, without a custom price.

TO ORDER AN EASY-ORDER COMBINATION (PRECONFIGURED NEXUS SYSTEM PACKING BENCH), SEE PAGES 90-91.



# Nexus System Packing Bench Accessory Features



Our packing benches can be configured with cabinet bases or legs to create a cost-effective, custom solution. With our modular drawer storage cabinets doubling as pedestals, users have systematic, efficient storage for their supplies, tools, paperwork and accessories.

Beneath the worksurface, vertical wire shelf dividers provide custom storage for corrugated or other bulk materials.

Above the worksurface, Lista's modular Nexus System provides a full range of accessories that offer easy access to packing materials at arm height. There are holders for rolls of paper, bubble rolls and labels. Vertical wire dividers are available to keep shelf storage organized. Other Nexus accessories include louvered panels to hold bins, plastic box rails, electrical attachments, overhead cabinets, computer monitor trays, document holders and many more (see pages 77-83).





Packing benches can be designed using a full range of Lista workbench products:

- Technical workstation components, pages 42-43
- Industrial workbench components, pages 56-57
- Cabinet pedestals, pages 60-71
- Nexus System accessories, pages 76-85

The additional components shown on the following two pages enable you to equip a packing bench that exactly suits your needs.



### Packing Bench Leg Inserts

For use with either tech or industrial legs. Allows multiple shelves and/or a roll holder to be mounted between legs. Not needed for applications using only one bottom shelf.

PART NO.	FOR LEG	USE WITH
	HEIGHT	CAB. HEIGHT
WBPBB-27.5	27.5"	600 w/o base
WBPBB-29.5	29.5"	600 with 2" base
WBPBB-31.5	31.5"	600 with 4" base
WBPBB-33.5	33.5"	600 with 6" base or 750 w/o base
WBPBB-35.5	35.5"	750 with 2" base
WBPBB-39.5	39.5"	900 w/o base



### Bottom Shelves

Heavy gauge steel shelf, 16" deep. Pre-punched holes accept vertical wire dividers. Applications using more than one bottom shelf and at least one leg support require packing bench leg insert(s) (see left).

PART NO.	WORKSURFACE LENGTH
BS-4816	48"
BS-6016	60"
BS-7216	72"
BS-8416	84"
BS-9616	96"

### How to order a packing bench bottom shelf

1. Select part number based on worksurface length.
2. ■ Specify left-hand (facing the workbench) bench support.
  - TL = Tech Leg
  - LL = Lista Leg
  - NW = NW cabinet
  - MP = MP cabinet
3. ■ Specify right-hand (facing the workbench) bench support.
  - TL = Tech Leg
  - LL = Lista Leg
  - NW = NW cabinet
  - MP = MP cabinet

**EXAMPLE:** to order a bottom shelf for a packing bench with a 72" worksurface, an MP Width cabinet as the left-hand pedestal and a Tech Leg as the right-hand support, the part number would be **BS-7216MPTL**.

### Vertical Wire Dividers for Bottom Shelves

15" deep dividers are 1/4" diameter galvanized wire that fit into pre-punched holes in the 16" deep shelf. No hardware required.



PART NO.	HEIGHT
NXS/WD150-15	6"
NXS/WD250-15	10"
NXS/WD450-15	18"



### Roll Holders (Leg/Cabinet Mount)

For dispensing paper, bubble rolls, etc. Holder mounts between tech panel legs, industrial panel legs and/or cabinet pedestals. Includes 1" diameter rod and brackets (unpainted galvanized steel), 100 lb. weight capacity.

Applications using at least one leg support require packing bench leg insert(s) (see left). Usable width varies by configuration. Contact Lista for exact dimensions.

PART NO.	WORKSURFACE LENGTH
RH-48	48"
RH-60	60"
RH-72	72"
RH-84	84"
RH-96	96"

### How to order a packing bench below-worksurface roll holder

1. Select part number based on worksurface length.
2. ■ Specify left-hand (facing the workbench) bench support.
  - TL = Tech Leg
  - LL = Lista Leg
  - NW = NW cabinet
  - MP = MP cabinet
3. ■ Specify right-hand (facing the workbench) bench support.
  - TL = Tech Leg
  - LL = Lista Leg
  - NW = NW cabinet
  - MP = MP cabinet

**EXAMPLE:** to order a roll holder for a packing bench with a 72" worksurface, an MP Width cabinet as the left-hand pedestal and a Tech Leg as the right-hand support, the part number would be **RH-72MPTL**.

# Nexus System Packing Bench Above-Worksurface Accessories



## Adjustable Shelves Without Lip

Adjustable steel shelf has a 100 lb. weight capacity. Supports are attached through a simple double-notch system that insert into slots on the Nexus uprights. Available in depths of 12" and 15". Pre-punched holes accept vertical wire dividers (see below).

PART NO.	SHELF WIDTH
<b>12" deep</b>	
NXS/A2412D	24"
NXS/A3012D	30"
NXS/A3612D	36"
NXS/A4212D	42"
NXS/A4812D	48"
NXS/A6012D	60"
<b>15" deep</b>	
NXS/A2415D	24"
NXS/A3015D	30"
NXS/A3615D	36"
NXS/A4215D	42"
NXS/A4815D	48"
NXS/A6015D	60"



## Vertical Wire Dividers for Adjustable Shelves

Dividers are 1/4" diameter galvanized wire that fit into pre-punched holes in the shelf. No hardware required. Depth must match shelf depth.

PART NO.	HEIGHT
<b>For 12" deep shelves</b>	
NXS/WD150-12	6"
NXS/WD250-12	10"
NXS/WD450-12	18"
<b>For 15" deep shelves</b>	
NXS/WD150-15	6"
NXS/WD250-15	10"
NXS/WD450-15	18"



## Deep Shelves Without Lip

Shelves are 18" or 24" deep with a 150 lb. weight capacity. Can be mounted in a forward or set-back position between uprights for maximum flexibility. Pre-punched holes accept vertical wire dividers (see below).

PART NO.	SHELF WIDTH
<b>18" deep</b>	
NXS/V2418D	24"
NXS/V3018D	30"
NXS/V3618D	36"
NXS/V4218D	42"
NXS/V4818D	48"
NXS/V6018D	60"
<b>24" deep</b>	
NXS/V2424D	24"
NXS/V3024D	30"
NXS/V3624D	36"
NXS/V4224D	42"
NXS/V4824D	48"



## Vertical Wire Dividers for Deep Shelves

Dividers are 1/4" diameter galvanized wire that fit into pre-punched holes in the shelf. No hardware required. Depth must match shelf depth.

PART NO.	HEIGHT
<b>For 18" deep shelves</b>	
NXS/WD150-18	6"
NXS/WD250-18	10"
NXS/WD450-18	18"
<b>For 24" deep shelves</b>	
NXS/WD150-24	6"
NXS/WD250-24	10"
NXS/WD450-24	18"



## Roll Holders (Extended Mount)

For dispensing paper, bubble rolls, etc. Includes 1" diameter rod and brackets. Brackets mount to Nexus uprights and extend 3" forward from the face of the uprights to allow for larger diameter rolls. Rod is unpainted galvanized steel; brackets are painted to match frame. 100 lb. weight capacity.

PART NO.	USE WITH	USB. INSIDE
	SECTION WDH.	WIDTH
NXRH/E24	24"	22"
NXRH/E30	30"	28"
NXRH/E36	36"	34"
NXRH/E42	42"	40"
NXRH/E48	48"	46"
NXRH/E60	60"	58"



## Label/Roll Holders (Interior Mount)

For dispensing labels and other smaller rolls. Brackets mount flush between Nexus uprights. Includes 1" diameter rod and brackets. Rod is unpainted galvanized steel; brackets are painted to match frame. 100 lb. weight capacity.

PART NO.	USE WITH	USB. INSIDE
	SECTION WDH.	WIDTH
NXRH/C24	24"	22"
NXRH/C30	30"	28"
NXRH/C36	36"	34"
NXRH/C42	42"	40"
NXRH/C48	48"	46"
NXRH/C60	60"	58"

For Nexus system frames, see page 76. Specify color from chart on back cover.



Nexus stands and trolleys can be configured with Nexus packing bench accessories to make an ideal addition to any packing or shipping area. See pages 92-95.

The packing benches shown on the following two pages are pre-configured to include the most popular and versatile styles of packing benches we offer. To design a custom bench to suit your exact needs, see pages 88-89.

Easy-Order packing benches include technical panel legs, and are 33 1/2" high. Optional Nexus System packing bench combinations are 48" high.

## How to order an Easy-Order Packing Bench

1. **Select Easy-Order packing bench configuration.**
2. **Select worksurface style.**  
**LTS** = Lista Top  
**GLS** = Galvanized steel  
**BTS** = Butcher block  
 All worksurfaces have a standard square edge and are 30" deep.
3. **Select worksurface size.**  
**4830** = 48" long x 30" deep  
**6030** = 60" long x 30" deep  
**7230** = 72" long x 30" deep
4.  **Select paint color.** For color chart, see back cover.


## How to order an optional Easy-Order Nexus System Packing Bench Combination

1. **Select Easy-Order Nexus System configuration.**
2. **Select system length** (length must correspond to worksurface length as shown below).  
**42** = for 48" long worksurface  
**48** = for 60" long worksurface  
**60** = for 72" long worksurface
4.  **Select paint color.** For color chart, see back cover.


**EXAMPLE:** to order a PS6200 packing bench with a 72" long butcher block worksurface and a matching Nexus System combination with Bright Blue paint, the bench part number would be **PS6200-BTS7230BB**, and the Nexus System part number would be **NXC/SM48-PB01-60BB**.

## Single Bay Packing Benches



FRONT VIEW





SIDE VIEW





PART NO.	INCLUDES
PS6000- <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	WBHC150-1 hanging cabinet



PART NO.	INCLUDES
PS6100- <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	WBHC150-1 hanging cabinet





PART NO.	INCLUDES
PS6200- <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	



PART NO.	INCLUDES
PS6300- <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	NW0600-0303N-F6RG cabinet


## Optional Nexus System Packing Bench Combination




PART NO.	HEIGHT
NXC/SM48-PB01- <input type="checkbox"/> <input type="checkbox"/>	48"

## Long Packing Benches



FRONT VIEW




SIDE VIEW





PART NO.	ROLL HOLDER LENGTH	BOTTOM SHELF LENGTH
PS6400- <span style="color: red;">■</span> <span style="color: blue;">■</span> <span style="color: white;">□</span>	72" top: 36" long; 84" & 96" top: 48" long	72" & 84" top: 24 1/4" long; 96" top: 36 1/4" long



PART NO.	INCLUDES	BOTTOM SHELF LENGTH
PS6500- <span style="color: red;">■</span> <span style="color: blue;">■</span> <span style="color: white;">□</span>	WBHC150-1 hanging cabinet	all shelves are equal length





PART NO.	INCLUDES
PS6600- <span style="color: red;">■</span> <span style="color: blue;">■</span> <span style="color: white;">□</span>	NW0600-0303N-F6RG cabinet



PART NO.	INCLUDES
PS6700- <span style="color: red;">■</span> <span style="color: blue;">■</span> <span style="color: white;">□</span>	NW0600-0501N-F6RG and NW0600-0201N-F6RG cabinets

## Optional Nexus System Packing Bench Combination



PART NO.	HEIGHT	STARTER SECTION WIDTH	ADDER SECTION WIDTHS
NXC/SM48-PB02- <span style="color: blue;">■</span> <span style="color: white;">□</span>	48"	42"	24" for 72" worksurface, 36" for 84" worksurface, 48" for 96" worksurface

### How to order a long Easy-Order Packing Bench

1. Select Easy-Order packing bench configuration.

2. ■ Select worksurface style.

**LTS** = Lista Top  
**GLS** = Galvanized steel  
**BTS** = Butcher block

All worksurfaces have a standard square edge and are 30" deep.

3. ■ Select worksurface size.

**7230** = 72" long x 30" deep  
**8430** = 84" long x 30" deep  
**9630** = 96" long x 30" deep

4. □ Select paint color. For color chart, see back cover.

### How to order an optional Easy-Order Nexus System Packing Bench Combination

1. Select Easy-Order Nexus System configuration.

2. ■ Select system length (length must correspond to work surface length as shown below).

**66** = for 72" long worksurface  
**78** = for 84" long worksurface  
**90** = for 96" long worksurface

4. □ Select paint color. For color chart, see back cover.

**EXAMPLE:** to order a PS6600 packing bench with an 84" long butcher block worksurface and a matching Nexus System combination with Bright Blue paint, the bench part number would be **PS6600-BTS8430BB**, and the Nexus System part number would be **NXC/SM48-PB02-78BB**.



# Nexus System Stationary Stands and Mobile Trolleys

Nexus stationary stands and mobile trolleys are the perfect complement to any production, repair or assembly workspace. Hold and/or transport parts, tools, test equipment and almost anything else you can think of, with the convenience of a small footprint.

Designed to accept all Nexus System accessories, these mini-workstations can be configured to exactly suit your needs. For the complete range of Nexus accessories, see pages 77-83:


- Shelves, page 77
- Lights, page 78
- Power, page 79
- Pivoting accessories, page 82

Stands are available in four heights (48", 60", 72" and 84") and six widths (24", 30", 36", 42", 48" and 60"). Trolleys are available in the same widths, and in heights of 48" and 60" (casters add an additional 6" to overall height).

Stands and trolleys can be ordered in either rear-justified or center-justified configurations.

Add a worksurface, and your Nexus stand becomes an economical workbench.

For weight capacities for stationary stands and mobile trolleys, contact Lista Customer Service.



REAR-JUSTIFIED  
STAND OR TROLLEY  
FOR 24" DEEP  
WORKSURFACE

CENTER-JUSTIFIED  
STAND OR TROLLEY  
FOR 12" DEEP  
SHELVES

REAR-JUSTIFIED  
STAND OR TROLLEY  
FOR 30" DEEP  
WORKSURFACE

CENTER-JUSTIFIED  
STAND OR TROLLEY  
FOR 15" DEEP  
SHELVES

## NEXUS CNC TOOL STANDS AND TROLLEYS

For Nexus system CNC tool stands and trolleys, see our General Storage Catalog.

Full range of Nexus System accessories available

Create work areas using either Nexus shelves or worksurfaces

Center- or rear-justified

Mobile trolleys or stationary stands





## Nexus Stationary Stand Frames

Nexus stand frames consist of 2 upright posts and 2 horizontal rails, with 2 feet. Adder sets consist of an additional upright and 2 horizontal rails with 1 foot. Frames are sturdy, heavy gauge steel, and are notched front and back at 1" increments for mounting accessories. Includes 4 adjustable glides. Specify stand depth in place of blue box (■) in part number.

28 = 28" overall depth  
34 = 34" overall depth

## 48" High Rear-Justified Frames

52 3/4" OAH, 42" available for panels

PART NO.	Starter set	Adder set
	NXF/FSR2448-■	NXF/FSR2448A-■
	NXF/FSR3048-■	NXF/FSR3048A-■
	NXF/FSR3648-■	NXF/FSR3648A-■
	NXF/FSR4248-■	NXF/FSR4248A-■
	NXF/FSR4848-■	NXF/FSR4848A-■
	NXF/FSR6048-■	NXF/FSR6048A-■

## 48" High Center-Justified Frames

52 3/4" OAH, 42" available for panels

PART NO.	Starter set	Adder set
	NXF/FSC2448-■	NXF/FSC2448A-■
	NXF/FSC3048-■	NXF/FSC3048A-■
	NXF/FSC3648-■	NXF/FSC3648A-■
	NXF/FSC4248-■	NXF/FSC4248A-■
	NXF/FSC4848-■	NXF/FSC4848A-■
	NXF/FSC6048-■	NXF/FSC6048A-■

## 60" High Rear-Justified Frames

64 3/4" OAH, 54" available for panels

PART NO.	Starter set	Adder set
	NXF/FSR2460-■	NXF/FSR2460A-■
	NXF/FSR3060-■	NXF/FSR3060A-■
	NXF/FSR3660-■	NXF/FSR3660A-■
	NXF/FSR4260-■	NXF/FSR4260A-■
	NXF/FSR4860-■	NXF/FSR4860A-■
	NXF/FSR6060-■	NXF/FSR6060A-■

## 60" High Center-Justified Frames

64 3/4" OAH, 54" available for panels

PART NO.	Starter set	Adder set
	NXF/FSC2460-■	NXF/FSC2460A-■
	NXF/FSC3060-■	NXF/FSC3060A-■
	NXF/FSC3660-■	NXF/FSC3660A-■
	NXF/FSC4260-■	NXF/FSC4260A-■
	NXF/FSC4860-■	NXF/FSC4860A-■
	NXF/FSC6060-■	NXF/FSC6060A-■

## 72" High Rear-Justified Frames

76 3/4" OAH, 66" available for panels

PART NO.	Starter set	Adder set
	NXF/FSR2472-■	NXF/FSR2472A-■
	NXF/FSR3072-■	NXF/FSR3072A-■
	NXF/FSR3672-■	NXF/FSR3672A-■
	NXF/FSR4272-■	NXF/FSR4272A-■
	NXF/FSR4872-■	NXF/FSR4872A-■
	NXF/FSR6072-■	NXF/FSR6072A-v

## 72" High Center-Justified Frames

76 3/4" OAH, 66" available for panels

PART NO.	Starter set	Adder set
	NXF/FSC2472-■	NXF/FSC2472A-■
	NXF/FSC3072-■	NXF/FSC3072A-■
	NXF/FSC3672-■	NXF/FSC3672A-■
	NXF/FSC4272-■	NXF/FSC4272A-■
	NXF/FSC4872-■	NXF/FSC4872A-■
	NXF/FSC6072-■	NXF/FSC6072A-■

## 84" High Rear-Justified Frames

88 3/4" OAH, 78" available for panels

PART NO.	Starter set	Adder set
	NXF/FSR2484-■	NXF/FSR2484A-■
	NXF/FSR3084-■	NXF/FSR3084A-■
	NXF/FSR3684-■	NXF/FSR3684A-■
	NXF/FSR4284-■	NXF/FSR4284A-■
	NXF/FSR4884-■	NXF/FSR4884A-■
	NXF/FSR6084-■	NXF/FSR6084A-■

## 84" High Center-Justified Frames

88 3/4" OAH, 78" available for panels

PART NO.	Starter set	Adder set
	NXF/FSC2484-■	NXF/FSC2484A-■
	NXF/FSC3084-■	NXF/FSC3084A-■
	NXF/FSC3684-■	NXF/FSC3684A-■
	NXF/FSC4284-■	NXF/FSC4284A-■
	NXF/FSC4884-■	NXF/FSC4884A-■
	NXF/FSC6084-■	NXF/FSC6084A-■



## Worksurfaces

For descriptions, see page 42. To order a bullnose edge, add "BN" to the end of the part number. **Requires work-surface brackets (see below). For use with rear-justified frames only.**

PART NO.	SIZE
<b>Butcher block</b>	
BTOP-2424	24" long x 24" deep
BTOP-3024	30" long x 24" deep
BTOP-3624	36" long x 24" deep
BTOP-4224	42" long x 24" deep
BTOP-4824	48" long x 24" deep
BTOP-6024	60" long x 24" deep
BTOP-30	30" long x 30" deep
BTOP-36	36" long x 30" deep
BTOP-42	42" long x 30" deep
BTOP-48	48" long x 30" deep
BTOP-60	60" long x 30" deep
<b>Plastic laminate</b>	
PTOP-2424	24" long x 24" deep
PTOP-3024	30" long x 24" deep
PTOP-3624	36" long x 24" deep
PTOP-4224	42" long x 24" deep
PTOP-4824	48" long x 24" deep
PTOP-6024	60" long x 24" deep
PTOP-30	30" long x 30" deep
PTOP-36	36" long x 30" deep
PTOP-42	42" long x 30" deep
PTOP-48	48" long x 30" deep
PTOP-60	60" long x 30" deep

## Worksurface Brackets

Required to attach worksurface (above) to stationary stand. Includes 2 brackets. **For use with rear-justified frames only.**

PART NO.	FOR USE WITH
NX/WST-KIT/24	24" deep worksurface
NX/WST-KIT/30	30" deep worksurface

## Nexus Mobile Trolley Frames

Nexus trolley frames consist of 2 upright posts and 2 horizontal rails, with 2 feet. Frames are sturdy, heavy gauge steel, and are notched front and back at 1" increments for mounting accessories. Supported by (4) 5" diameter casters, 2 swivel and 2 swivel with wheel locks. Includes a handle.



## 48" High Rear-Justified Frames

57 3/4" OAH, 42" available for panels

PART NO.	WIDTH
NXF/MTR2448-■	24"
NXF/MTR3048-■	30"
NXF/MTR3648-■	36"
NXF/MTR4248-■	42"
NXF/MTR4848-■	48"
NXF/MTR6048-■	60"

## 48" High Center-Justified Frames

PART NO.	WIDTH
NXF/MTC2448-■	24"
NXF/MTC3048-■	30"
NXF/MTC3648-■	36"
NXF/MTC4248-■	42"
NXF/MTC4848-■	48"
NXF/MTC6048-■	60"

## 60" High Rear-Justified Frames

69 3/4" OAH, 54" available for panels

PART NO.	WIDTH
NXF/MTR2460-■	24"
NXF/MTR3060-■	30"
NXF/MTR3660-■	36"
NXF/MTR4260-■	42"
NXF/MTR4860-■	48"
NXF/MTR6060-■	60"

## 60" High Center-Justified Frames

PART NO.	WIDTH
NXF/MTC2460-■	24"
NXF/MTC3060-■	30"
NXF/MTC3660-■	36"
NXF/MTC4260-■	42"
NXF/MTC4860-■	48"
NXF/MTC6060-■	60"

## Mobile Trolley Accessories

Individual casters replace the ones that come with trolley. Handle is single handle.



PART NO.	DESCRIPTION
CAST5X15-NB	(1) swivel 5" caster
CAST5X15-WB	(1) swivel 5" caster with wheel lock
NX/MT-HANDL	side handle

Easy-Order stands (page 94) include leveling glides, and are 60", 72" or 84" high. Trolleys (page 95) include 2 swivel and 2 swivel with wheel locks 3 1/2" diameter casters (250 lb. capacity per caster), and a handle, and are either 48" or 60" high (plus height of casters). Stands and trolleys are 28" deep.

## How to order an Easy-Order Nexus Stand or Trolley

1. Select Easy-Order stand or trolley configuration.
2. ■ Select worksurface style for models NXF/FSR01, NXF/FSR02, NXF/FSR03 and NXF/FSR04.
  - P2** = Plastic laminate
  - B2** = Butcher block

All worksurfaces have a bullnose front edge and are 24" deep.
3. ■ Select width.
  - 24** = 24" wide
  - 30** = 30" wide
  - 36** = 36" wide
  - 42** = 42" wide
  - 48** = 48" wide
  - 60\*** = 60" wide

\*not available for models that include markerboard/tackboard
4. ■ Select height.
 

For stands:


  - 60** = 60" high
  - 72** = 72" high
  - 84** = 84" high

For trolleys:

  - 48** = 48" high
  - 60** = 60" high
5.  Select paint color. For color chart, see back cover or below.


**EXAMPLE:** to order an NXF/FSR04 stand that is 36" wide and 60" high, with a butcher block worksurface and Bright Blue paint, the part number would be **NXF/FSR04B2-3660BB**.

### Front View Rear-justified



#### Workstand


PART NO.	DESCRIPTION
NXF/FSR01 <span style="color: red;">■</span> <span style="color: green;">■</span> <span style="color: blue;">■</span> <input type="checkbox"/>	starter
NXF/FSR01 <span style="color: red;">■</span> <span style="color: green;">■</span> <span style="color: blue;">■</span> <input type="checkbox"/> A	adder



#### Workstand


PART NO.	DESCRIPTION
NXF/FSR02 <span style="color: red;">■</span> <span style="color: green;">■</span> <span style="color: blue;">■</span> <input type="checkbox"/>	starter
NXF/FSR02 <span style="color: red;">■</span> <span style="color: green;">■</span> <span style="color: blue;">■</span> <input type="checkbox"/> A	adder

### Side View Rear-justified




#### Workstand

PART NO.	DESCRIPTION
NXF/FSR03 <span style="color: red;">■</span> <span style="color: green;">■</span> <span style="color: blue;">■</span> <input type="checkbox"/>	starter
NXF/FSR03 <span style="color: red;">■</span> <span style="color: green;">■</span> <span style="color: blue;">■</span> <input type="checkbox"/> A	adder




#### Workstand

PART NO.	DESCRIPTION
NXF/FSR04 <span style="color: red;">■</span> <span style="color: green;">■</span> <span style="color: blue;">■</span> <input type="checkbox"/>	starter
NXF/FSR04 <span style="color: red;">■</span> <span style="color: green;">■</span> <span style="color: blue;">■</span> <input type="checkbox"/> A	adder



#### Companion Stand

PART NO.	DESCRIPTION
NXF/FSR05 <span style="color: green;">■</span> <span style="color: blue;">■</span> <input type="checkbox"/>	starter
NXF/FSR05 <span style="color: green;">■</span> <span style="color: blue;">■</span> <input type="checkbox"/> A	adder




#### Companion Stand


PART NO.	DESCRIPTION
NXF/FSR06 <span style="color: green;">■</span> <span style="color: blue;">■</span> <input type="checkbox"/>	starter
NXF/FSR06 <span style="color: green;">■</span> <span style="color: blue;">■</span> <input type="checkbox"/>	adder



**Front View**  
Rear-justified



**Side View**  
Rear-justified




**Trolley**


PART NO.

NXF/MTR07-

**Front View**  
Center-justified



**Side View**  
Center-justified





**Trolley**

- Includes (2) 12" deep adjustable shelves

PART NO.

NXF/MTC08-





**Bin Trolley**

- 48" high trolley includes (1) 24" high and (1) 18" high louvered panels
- 60" high trolley includes (1) 30" high and (1) 24" high louvered panels

PART NO.

NXF/MTR09-





**Bin Trolley**

- 48" high trolley includes (2) 24" high and (2) 18" high louvered panels
- 60" high trolley includes (2) 30" high and (2) 24" high louvered panels

PART NO.



NXF/MTC10-



**Shelf Trolley**

PART NO.

NXF/MTR11-



**Shelf Trolley**

- Includes (6) 12" deep adjustable shelves

PART NO.

NXF/MTC12-



# Nexus System Flow Racks

Nexus flow racks are an effective material handling solution for presenting parts for picking, kitting or assembly.


Parts delivery by gravity feeding cartons or parts bins reduces the need for parts delivery personnel, allowing one person to service more production or packaging stations. By assembling flow racks in rows, you can achieve even greater productivity and convenience.

Designed to accept any Nexus System accessories, flow racks can be configured to exactly suit your needs. For the complete range of Nexus System accessories, see pages 77-83:

- Shelves, page 77
- Lights, page 78
- Power, page 79
- Pivoting accessories, page 82

Add a worksurface, and your stationary Nexus flow rack becomes a highly efficient assembly or work station.

Flow rack frames are 86 3/4" high and 48" deep, and are available in five widths (30", 36", 42", 48" and 60").



\*casters add 6" to overall height;  
leg kit adds 3" to overall height


*The Nexus Flow Rack is completely configurable, and can be equipped with such task-specific accessories as overhead lights, shelves and worksurfaces.*



## PAINT COLORS – PLEASE NOTE!

- Nexus flow racks are available in Light Gray only.
- Other colors, including other standard Lista colors, are available on request at an additional charge.





### Nexus Flow Rack Frames

Nexus flow rack starter frames consist of 4 upright posts and 8 horizontal rails. Adder sets consist of 2 additional uprights and 6 horizontal rails. Frames are sturdy, heavy gauge steel, and are notched front and back at 1" increments for mounting accessories. Includes 4 adjustable glides. 1,800 lb. weight capacity. Optional casters available (see right).

PART NO.	WIDTH
Starter set	Adder set
NXFR/3084	NXFR/3084A 30"
NXFR/3684	NXFR/3684A 36"
NXFR/4284	NXFR/4284A 42"
NXFR/4884	NXFR/4884A 48"
NXFR/6084	NXFR/6084A 60"

### Nexus Flow Rack Roller Shelves


All tracks and guides are ordered individually (see below). 600 lb. weight capacity.

PART NO.	# GUIDE/ROLLER HOLES	WIDTH
NXFR/S30	17	30"
NXFR/S36	21	36"
NXFR/S42	25	42"
NXFR/S48	29	48"
NXFR/S60	37	60"

### Nexus Flow Rack Shelf Accessories

Shelves are slotted on 1 1/2" increments to accept roller tracks and guides. Guides separate sections. Rollers are 1 1/16" wide; tracks are 1" wide. Two rollers are recommended for rows up to 15" wide, and 3 or more for wider rows.

PART NO.	DESCRIPTION
NXFR/S-TRACK48	roller track
NXFR/S-GUIDE48	roller guide
NXFR/S-CLIP	replacement clip



### Plastic Laminate Worksurfaces

Particle board core with plastic laminate top and sides. 1 9/16" thick. Dove gray is standard but other colors are available on request. To order a bull-nose edge, add "BN" to the end of the part number. **Requires work surface bracket/foot kit (see below).**

PART NO.	WIDTH
24" deep	30" deep
PTOP-3024	PTOP-30 30"
PTOP-3624	PTOP-36 36"
PTOP-4224	PTOP-42 42"
PTOP-4824	PTOP-48 48"
PTOP-6024	PTOP-60 60"



### Worksurface Bracket/Foot Kits

Required to mount work surface (above) to flow rack. Starter set includes 2 work surface brackets, 2 feet, and 1 horizontal rail, and should be ordered for the first flow rack section that will have an attached work surface. Adder sets include 2 work surface brackets, 1 foot, and 1 horizontal rail, and should be ordered for all subsequent flow rack sections that will have an attached work surface. Adds 3" to overall height.

PART NO.	WORKSURF. SIZE
<b>Starter set</b>	
NXFR/WST-KIT/3024	30" x 24"
NXFR/WST-KIT/3624	36" x 24"
NXFR/WST-KIT/4224	42" x 24"
NXFR/WST-KIT/4824	48" x 24"
NXFR/WST-KIT/6024	60" x 24"
NXFR/WST-KIT/3030	30" x 30"
NXFR/WST-KIT/3630	36" x 30"
NXFR/WST-KIT/4230	42" x 30"
NXFR/WST-KIT/4830	48" x 30"
NXFR/WST-KIT/6030	60" x 30"
<b>Adder set</b>	
NXFR/WST-KIT/3024A	30" x 24"
NXFR/WST-KIT/3624A	36" x 24"
NXFR/WST-KIT/4224A	42" x 24"
NXFR/WST-KIT/4824A	48" x 24"
NXFR/WST-KIT/6024A	60" x 24"
NXFR/WST-KIT/3030A	30" x 30"
NXFR/WST-KIT/3630A	36" x 30"
NXFR/WST-KIT/4230A	42" x 30"
NXFR/WST-KIT/4830A	48" x 30"
NXFR/WST-KIT/6030A	60" x 30"


### Caster Sets

Allows individual flow rack frames to be movable. Adds 6" to overall height. **For use with stand-alone starter frames without worksurfaces only. 1,000 lb. capacity overall.**

PART NO.	DESCRIPTION
NXFR/CAST5	set of (2) swivel & (2) swivel casters with wheel lock
CAST5X15-NB	(1) swivel 5" caster
CAST5X15-WB	(1) swivel with wheel lock 5" caster

### Easy-Order Nexus Flow Rack Combinations

The combinations below are configured to be most useful in a wide variety of applications.



#### Combinations With 2 Shelves

STARTER SET PART NO.	ADDER SET PART NO.	WIDTH	EACH SHELF INCLUDES
NXFR/C3084-2	NXFR/C3084-2A	30"	(4) roller tracks and (1) guide
NXFR/C3684-2	NXFR/C3684-2A	36"	(4) roller tracks and (1) guide
NXFR/C4284-2	NXFR/C4284-2A	42"	(6) roller tracks and (2) guides
NXFR/C4884-2	NXFR/C4884-2A	48"	(6) roller tracks and (2) guides
NXFR/C6084-2	NXFR/C6084-2A	60"	(8) roller tracks and (3) guides



#### Combinations With 3 Shelves

STARTER SET PART NO.	ADDER SET PART NO.	WIDTH	EACH SHELF INCLUDES
NXFR/C3084-3	NXFR/C3084-3A	30"	(4) roller tracks and (1) guide
NXFR/C3684-3	NXFR/C3684-3A	36"	(6) roller tracks and (1) guide
NXFR/C4284-3	NXFR/C4284-3A	42"	(6) roller tracks and (2) guides
NXFR/C4884-3	NXFR/C4884-3A	48"	(9) roller tracks and (2) guides
NXFR/C6084-3	NXFR/C6084-3A	60"	(12) roller tracks and (3) guides